

S Sandberg®
ACTIVE 

Power Station AC 200



Quick guide

420-83



www.sandberg.world

Overview





- 1. Power button
- 2. Digital Display Screen
- 3. AC Power button
- 4. USB 1 Output
- 5. DC 1 Output

- 6. USB QC3.0 Output
- 7. USB-C Input/Output
- 8. USB 2 Output
- 9. DC 2 Output
- 10. AC Output

- 11. Cooling fan
- 12. DC Input
- 13. LED light button
- 14. Lamp

Detailed specification



AC EU wall socket:
230V AC, 50 Hz (200W max)



USB-A 1
Output:
5V/2.1A



DC port (5521)
Output:
12V/10A (120W max)



USB QC3.0
Output:
QC 5V/3A, 9V/2A, 12V/1.5A (18W max)



USB-C PD
Input/Output:
5V/2.4A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W max)



USB-A 2
Output:
5V/2.1A



DC port (5521)
Output:
12V/10A (120W max)



DC port (5521) Input:
5V-20V/2A (40W max)



Button function



Press and hold power button for 5 seconds to turn on/off the device





Check the battery capacity



Press power button to turn on the DC Output



Press power button to turn off the DC Output




Press and hold AC power button for 5 seconds to turn on the AC Output



Press and hold AC power button for 5 seconds to turn off the AC Output

Charge the powerbank



DC port (5521) Input:
5V-20V/2A (40W max)



USB-C PD Input

DC/PD Input




Solar Panel
Charger



Wall
Charger


**Charge mobile device
(USB 2 Output, USB QC3.0 Output and USB-C Output)**

Example of use




Charge equipment (AC Output)


Example of use




Press and hold power button for 5 seconds to turn on the device




Press and hold AC power button for 5 seconds to turn on the AC Output




Lamp




Press and hold power button for 5 seconds to turn on the device




Press and hold LED light button for 5 seconds




Press once more




Press once more



Press once more



Press once more



Press once more

Warranty

There is a five-year warranty on your Sandberg product. Please read the warranty terms and register your new Sandberg product at www.sandberg.world/warranty

5
Years
Warranty

 **Sandberg®**

Power Station AC 200

Item no. 420-83

Battery capacity: 14.4V/12Ah/172.8Wh (3.6V/48000 mAh/172.8 Wh)

1 x AC EU wall socket: 230V AC, 50 Hz (200W max)

1 x DC port (5521) input: 5V-20V/2A (40W max)

2 x DC port (5521) output: 12V/10A (120W max)

2 x USB-A output: 5V/2.1A

Product weight: 1860g

1 x USB-A output: QC 5V/3A, 9V/2A, 12V/1.5A (18W max)

1 x USB-C PD in/out: 5V/2.4A, 9V/3A, 12V/3A, 15V/3A,
20V/5A (100W max)

www.sandberg.world

Sandberg A/S
Bregnerødvej 133D,
3460 Birkerød, Denmark

Made in China

UN38.3  