

Outdoor Solar Powerbank 24000

Quick guide










Charge Powerbank



Hook








Battery	Battery	Solar panel	Charging time by	Charging time by	Charging time by	Charging time by
mAh	Watt-hours	Watt	sun	USB 1A	USB 2.4A	USB C 18W
24000	88.8 Wh	2W	53 hours	20 hours	8 hours	





Charge devices



Flash light procedure



1. Press and hold

2. Press once more for flashing

3. Press once more for SOS

4. Press once more to turn off





http://helpdesk.sandberg.world

Warranty

There is a five-year warranty on your Sandberg product.

Please read the warranty terms and register your new
Sandberg product at www.sandberg.world/warranty



Outdoor Solar Powerbank 24000 Ite

Capacity: 24000 mAh (88.8Wh) Product weight

USB-C Input: 5V/3A, 9V/2A PD18W

USB-C Input: 5V/3A, 9V/2A PD18W

USB-C Output: 5V/3A, 9V/2.2A,12V/1.67A PD20W

Solar panel: 2.0 W / 400 mA

www.sandberg.world info@sandberg.world Sandberg A/S Bregneroedvej 133D, 3460 Birkeroed, Denman



NOTE: For optimal battery performance, we recommend fully discharging and recharging the powerbank at least once every three months.



or information on handling electronic waste, see www.sandberg.world/weee