

Survivor Radio All-in-1 2000


Quick guide







Product overview







- 1. Lights
- 2. SOS Alarm button
- 3. Speaker
- 4. Band selector 5. Tuning OK indicator
- 6. Charging indicator 7. Battery status 25/50/75/100%
 - 8. Tunina

 - 9. ON/OFF & Vol+/Vol-
 - 10. Light button

- 11. Solar panel
- 12. USB-A output
- 13. USB-C input
- 14. Retractable antenna
- 15 Hand crank

Charging the internal battery

Hand crank



- Turn the crank at 120 - 150 rpm (2 - 2.5 times per second). 1 minute of turning can nower the radio for about 3 minutes.
- Approximate charging time by the hand crank (battery 0-25%): 5 hours

Solar panel



- Make sure to place the solar panel in direct sunlight with no shadow.
 - Approximate charging time by the solar panel (battery 0-25%): 20 hours


AC charger



NOTE: Please only use the included USB-C to USB-A cable.



Charge device



Operation

Power ON/OFF:








Volume setting:





Tuning the radio:




Select band FM/AM/WB (WB Weather broadcast channel only active in USA)




Frequency setting:









When channel is tuned well and signal is good, the "TUN" indicator will light.

Flash Light and SOS buttons:

Button	Press	Function
×	Short (toggle)	Flashlight ON/OFF
sos	Long (toggle)	Speaker loud signal ON/OFF



CE letter of conformity

C E Declaration of Conformity

Manufacturer: Sandberg A/S

Address: Bregneroedvej 133D, 3460 Birkeroed, Denmark

Product description: Multi device of powerbank, AM+FM radio, speaker and

lamp

Product name/Type no: Survivor Radio All-in-1 2000 / 421-04

We declare under our sole responsibility that the products, to which this declaration relates, are in conformity with the Council Directives on the approximation of the laws of the EEC Member States relating to the following:

Directives

EMC Directive 2014/30/EU RED Directive 2014/53/EU

RoHS Directive 2011/65/EU with amendment (EU)2015/863

And standards

EN 55032: 2015/A11: 2020 EN 55035: 2017/A11: 2020 EN 1EC 61000-3-2: 2019/A1: 2021 EN 61000-3-3: 201/A2: 2021 ETSI EN 303 345-1 V1.1.1 (2019-06) ETSI EN 303 345-2 V1.2.1 (2021-12) ETSI EN 303 345-3 V1.1.1 (2021-12)

Date: 26th June 2024

Location: Birkeroed, Denmark

Name: Anders Petersen

7





http://helpdesk.sandberg.world

Warranty

There is a five-year warranty on your Sandberg product.

Please read the warranty terms and register your new
Sandberg product at www.sandberg.world/warranty

5 Years Warranty

Survivor Radio All-in-1 2000

al titol Radio All

SB-A output: 5V/2A, USB-C input: 5V/2A olar Panel Voltage: 5V, 95 mA (0.48W max)

Product weight: 260g

tem no 421-04

www.sandt info@sandt

Sandberg A/S

Bregneroedvej 133D, 3460 Birkeroed, Denmark





NOTE: For optimal battery performance, we recommend fully discharging and recharging the radio at least once every three months.

